Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	123	non adj adjacent adj (node$1 or router$1 or terminal$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/22 18:42
L2	60	1 AND @AD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:02
L3	6056	(router or node) adj (identifier or id or label$1 or coordinate$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 18:59
L4	6	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 18:59
L5	3694	(REDIRECT$4 OR REROUT$3) NEAR4 REQUEST$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:01
L6	11521	(path or link or coordinate) adj (label$1 or identifier$1 or number or id$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:01
L7	600	6 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:01
L8	3379	709/238-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:02
L9	52	8 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:02
L10	29	9 AND @AD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:10

L11	2053	6 same (node$1 or router$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:10
L12	1425	11 and table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:10
L13	42	(("5,161,186") or ("5,179,548") or ("5,181,017") or ("5,367,642") or ("5,410,586") or ("5,452,294") or ("5,546,596") or ("5,659,686") or ("5,781,546") or ("5,802,313") or ("5,812,549") or ("5,859,981") or ("5,859,983") or ("6,038,044") or ("6,138,166") or ("6,138,167") or ("6,404,735") or ("6,442,147") or ("6,574,227") or ("6,579,018") or ("6,667,956") or ("6,741,572")).PN. or (2002/0131363).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:10
L14	28	(("5,355,371") or ("5,541,927") or ("5,903,559") or ("6,147,992") or ("6,331,983") or ("6,529,498") or ("6,560,236") or ("6,611,872") or ("6,614,762") or ("6,683,865") or ("6,693,907") or ("6,728,205") or ("6,785,704") or ("6,788,681")).PN. or (2001/0043611).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:10
L15	2	(13 or 14) and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:10
S1	0	"5655134".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 15:16
S2	2	"5655134".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 15:16
S3	0	"5655134".URPN.	USPAT	OR	OFF	2004/06/22 15:16
S4	10	(("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:17

S5	0	((("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134")).PN.) and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:47
S6	6	((("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134")).PN.) and (internet or www or web or (packet adj switch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:23
S7	2	((("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134")).PN.) and (mirror$3 or replicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:23
S8	2	((("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134")).PN.) and cach$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:29
S9	613	cach$3 near5 (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:48
S10	74037	"455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:30
S11	139	"455"/$.ccls. and (cach$3 near5 (mobile or pda or (hand adj held) or cellular or wireless or handheld))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:30
S12	1363	mpls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:30
S13	9	mpls and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:31
S14	1	(mpls and "455"/$.ccls.) and ("455"/$.ccls. and (cach$3 near5 (mobile or pda or (hand adj held) or cellular or wireless or handheld)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:39

S15	1	((cach$3 near5 (mobile or pda or (hand adj held) or cellular or wireless or handheld)) same (intercept$3 or redirect)) and (mirror$3 or replicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:39
S16	23	((cach$3 near5 (mobile or pda or (hand adj held) or cellular or wireless or handheld)) and (intercept$3 or redirect)) and (mirror$3 or replicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:40
S17	2254	cach$3 same(mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:48
S18	621	(intercept$4 or redirect$4) and (cach$3 same (mirror$3 or replicat$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:36
S19	69	(cach$3 same(mobile or pda or (hand adj held) or cellular or wireless or handheld)) and ((intercept$4 or redirect$4) and (cach$3 same (mirror$3 or replicat$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:20
S20	639	(intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) and (cach$3 same (mirror$3 or replicat$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:22
S21	70	((intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) and (cach$3 same (mirror$3 or replicat$4))) and (cach$3 same(mobile or pda or (hand adj held) or cellular or wireless or handheld))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:37
S22	13	(((intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) and (cach$3 same (mirror$3 or replicat$4))) and (cach$3 same(mobile or pda or (hand adj held) or cellular or wireless or handheld))) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:37
S23	4789	(replicat$4 or mirror$3) near8 (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:45

S24	8	((replicat$4 or mirror$3) near8 (mobile or pda or (hand adj held) or cellular or wireless or handheld)) and ((intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) and (cach$3 same (mirror$3 or replicat$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 13:45
S25	19	"5893116".URPN.	USPAT	OR	OFF	2003/11/17 13:46
S26	8	"5893116".URPN. and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:00
S27	151	mobile adj server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:00
S28	23	(mobile adj server$1) and (replicat$4 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:19
S29	1	"6128648".URPN.	USPAT	OR	OFF	2003/11/17 14:03
S30	4	((("5892924") or ("6006264") or ("6018766") or ("5870564") or ("5655134")).PN.) and (fail$3 or fault$1 or error$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:21
S31	0	(intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) and "6128648".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:27
S32	2550	(intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) near8 (error$1 or fault$1 or failure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:27
S33	0	((intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) near8 (error$1 or fault$1 or failure$1)) and (mobile adj server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:28
S34	568	((intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) near8 (error$1 or fault$1 or failure$1)) and (replicat$4 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:28

S35	161	(((intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) near8 (error$1 or fault$1 or failure$1)) and (replicat$4 or mirror$3)) and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:28
S36	71	((intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) near8 (error$1 or fault$1 or failure$1)) same (replicat$4 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:28
S37	15	(((intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) near8 (error$1 or fault$1 or failure$1)) same (replicat$4 or mirror$3)) and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:33
S38	50	"5633999".URPN.	USPAT	OR	OFF	2003/11/17 14:31
S39	412	709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:31
S40	34	709/239.ccls. and ((intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) near8 (error$1 or fault$1 or failure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:32
S41	4	(709/239.ccls. and ((intercept$4 or rerout$3 or (re adj rerout$3) or redirect$4) near8 (error$1 or fault$1 or failure$1))) and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:47
S42	920	vaughn.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:47
S43	3	vaughn.xa. and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:58
S44	1	(vaughn.xa. and 709/239.ccls.) and (mobile or pda or (hand adj held) or cellular or wireless or handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:49
S45	5	"6041358".URPN.	USPAT	OR	OFF	2003/11/17 14:48

S46	2	"6041358".URPN. and (mirror$3 or replicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:50
S47	15	("5875183" | "5930714" | "5949780" | "5987011" | "6014569" | "6041358" | "6122665" | "6161008" | "6185288" | "6195705" | "6421714" | "6434134" | "6473411" | "6490259" | "6496704").PN.	USPAT	OR	OFF	2003/11/17 14:50
S48	7	(("5875183" | "5930714" | "5949780" | "5987011" | "6014569" | "6041358" | "6122665" | "6161008" | "6185288" | "6195705" | "6421714" | "6434134" | "6473411" | "6490259" | "6496704").PN.) and (cach$3 or replicat$4 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:51
S49	911	455/445.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:58
S50	42	455/445.ccls. and (replicat$4 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 14:59
S51	277	455/445.ccls. and (redirect$4 or rerout$3 or (re adj rout$3) or ((different or alternate) adj (path or route$1)) or intercept$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 15:01
S52	30	(455/445.ccls. and (redirect$4 or rerout$3 or (re adj rout$3) or ((different or alternate) adj (path or route$1)) or intercept$4)) and (replicat$4 or mirror$3 or cach$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 15:06
S53	1	455/445.ccls. and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 15:06
S54	4	"5870564".PN. OR "5655134".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:52

S55	0	("5870564".PN. OR "5655134".PN.) AND (MOBILE OR CELLULAR OR WIRELESS OR PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:54
S56	118	HYPERCUBE AND TOPOLOG$3 AND (MOBILE OR CELLULAR OR WIRELESS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:54
S57	89	(HYPERCUBE AND TOPOLOG$3 AND (MOBILE OR CELLULAR OR WIRELESS)) AND @AD<"20010201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:55
S58	91	YEMINI.INV.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:56
S59	1	YEMINI.INV. AND TRUSTEES	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:56
S60	76831	"455"/$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:56
S61	3	(HYPERCUBE AND TOPOLOG$3 AND (MOBILE OR CELLULAR OR WIRELESS)) AND "455"/$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:58
S62	7	"6041358".URPN.	USPAT	OR	OFF	2004/06/07 17:58
S63	1196	"455"/$.CCLS. AND TOPOLOGY	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:59
S64	2	"6041358".URPN. AND TOPOLOGY	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:59
S65	2	"6189102".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 08:43

S66	0	"6189102".pn. and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 08:52
S67	4	cheline.inv. and remote$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 08:52
S68	12	(((("5796727") or ("5594942") or ("6189043") or ("6628943") or ("6041358") or ("6112249") or ("6006090") or ("6128648") or ("6205481") or ("6535493") or ("5893116") or ("6167438") or ("6587457") or ("6622157") or ("5870564") or ("5655134")).PN.) and (replicat$4 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:08
S69	34410	(mirror$4 or replicat$4)near3 (device$1 or node$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:09
S70	32	(("5796727") or ("5594942") or ("6189043") or ("6628943") or ("6041358") or ("6112249") or ("6006090") or ("6128648") or ("6205481") or ("6535493") or ("5893116") or ("6167438") or ("6587457") or ("6622157") or ("5870564") or ("5655134")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:31
S71	160	((mirror$4 or replicat$4)near3 (device$1 or node$1)) and "455"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:10
S72	72	(((mirror$4 or replicat$4)near3 (device$1 or node$1)) and "455"/$. ccls.) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:14
S73	296	(plurality or multiple or group$1) near2 ((replicat$4 or mirror$3) adj2 (device$1 or node$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:12
S74	2	((plurality or multiple or group$1) near2 ((replicat$4 or mirror$3) adj2 (device$1 or node$1))) and "455"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:13

S75	1	((plurality or multiple or group$1) near2 ((replicat$4 or mirror$3) adj2 (device$1 or node$1))) same (mobile or wireless or cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:14
S76	24	((plurality or multiple or group$1) near2 ((replicat$4 or mirror$3) adj2 (device$1 or node$1))) and (mobile or wireless or cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:14
S77	10	(((plurality or multiple or group$1) near2 ((replicat$4 or mirror$3) adj2 (device$1 or node$1))) and (mobile or wireless or cellular)) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:14
S78	15	((((mirror$4 or replicat$4)near3 (device$1 or node$1)) and "455"/$. ccls.) and @ad<"20000201") and (internet or web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 18:15
S79	32	((("5796727") or ("5594942") or ("6189043") or ("6628943") or ("6041358") or ("6112249") or ("6006090") or ("6128648") or ("6205481") or ("6535493") or ("5893116") or ("6167438") or ("6587457") or ("6622157") or ("5870564") or ("5655134")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:31
S80	19	(((("5796727") or ("5594942") or ("6189043") or ("6628943") or ("6041358") or ("6112249") or ("6006090") or ("6128648") or ("6205481") or ("6535493") or ("5893116") or ("6167438") or ("6587457") or ("6622157") or ("5870564") or ("5655134")).PN.) and (restor$3 or fault$1 or fail$4 or relocat$4 or mov$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:33
S81	9957	rerout$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:33
S82	4	rerout$4 and (((("5796727") or ("5594942") or ("6189043") or ("6628943") or ("6041358") or ("6112249") or ("6006090") or ("6128648") or ("6205481") or ("6535493") or ("5893116") or ("6167438") or ("6587457") or ("6622157") or ("5870564") or ("5655134")).PN.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:35

S83	77187	"455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:35
S84	589	"455"/$.ccls. and rerout$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:36
S85	480	709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:36
S86	10	709/239.ccls. and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:37
S87	361	("455"/$.ccls. and rerout$4) and path$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:37
S88	50336	plurality adj3 (link$1 or node$1 or path$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:37
S89	54	(plurality adj3 (link$1 or node$1 or path$3)) and (("455"/$.ccls. and rerout$4) and path$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:38
S90	39	((plurality adj3 (link$1 or node$1 or path$3)) and (("455"/$.ccls. and rerout$4) and path$3)) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:51
S91	1	(((plurality adj3 (link$1 or node$1 or path$3)) and (("455"/$.ccls. and rerout$4) and path$3)) and @ad<"20000220") and (mirror$3 or replicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:41
S92	771	"455"/$.ccls. and replicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:41

S93	100	("455"/$.ccls. and replicat$4) and mirro$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:41
S94	102	("455"/$.ccls. and replicat$4) and mirror$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:41
S95	63	(("455"/$.ccls. and replicat$4) and mirror$3) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:41
S96	54652	(alternat$3 or backup or (back adj up) or rerout$3 or (re adj rout$3)) near3 (path$1 or rout$2 or channel$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:42
S97	15	((alternat$3 or backup or (back adj up) or rerout$3 or (re adj rout$3)) near3 (path$1 or rout$2 or channel$1)) and ((("455"/$.ccls. and replicat$4) and mirror$3) and @ad<"20000220")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:43
S98	163	((alternat$3 or backup or (back adj up) or rerout$3 or (re adj rout$3)) near3 (path$1 or rout$2 or channel$1)) and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:43
S99	14	(((alternat$3 or backup or (back adj up) or rerout$3 or (re adj rout$3)) near3 (path$1 or rout$2 or channel$1)) and 709/239.ccls.) and replicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:50
S10 0	2946	mirror$4 near2 (node$1 or terminal$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:50
S10 1	51	(mirror$4 near2 (node$1 or terminal$1)) and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:50
S10 2	51	((mirror$4 near2 (node$1 or terminal$1)) and "455"/$.ccls.) and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:50

S10 3	39	(((plurality adj3 (link$1 or node$1 or path$3)) and (("455"/$.ccls. and rerout$4) and path$3)) and @ad<"20000220") and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:00
S10 4	22	((mirror$4 near2 (node$1 or terminal$1)) and "455"/$.ccls.) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:52
S10 5	1	(mobile or cellular or wireless or pda) and (mirror$4 near2 (node$1 or terminal$1)) and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:53
S10 6	10	(mobile or cellular or wireless or pda) and mirror$3 and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:59
S10 7	4	"6260070".URPN.	USPAT	OR	OFF	2004/06/21 13:58
S10 8	1	"6260070".URPN. and (pda or cellular or mobile or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 13:59
S10 9	104	"455"/$.ccls. and (next adj hop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:00
S11 0	47	("455"/$.ccls. and (next adj hop)) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:00
S11 1	91	yemini.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:02
S11 2	47	yemini.inv.	USPAT	OR	OFF	2004/06/21 14:02
S11 3	375	370/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:02

S11 4	18	370/238.ccls. and 709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:56
S11 5	15	bgp and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 14:56
S11 6	12045	adjacent adj (router$1 or node$1 or terminal$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:49
S11 7	54	mirror$3 same (adjacent adj (router$1 or node$1 or terminal$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:50
S11 8	38	(mirror$3 same (adjacent adj (router$1 or node$1 or terminal$1))) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:50
S11 9	687	mirror$3 and (adjacent adj (router$1 or node$1 or terminal$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:50
S12 0	49	(mirror$3 and (adjacent adj (router$1 or node$1 or terminal$1))) and replicat$4 and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:09
S12 1	3404	automatic$4 near3 (replicat$4 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:56
S12 2	13	(automatic$4 near3 (replicat$4 or mirror$3)) and (adjacent adj (router$1 or node$1 or terminal$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:56
S12 3	2764	455/44$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:56

S12 4	0	455/44$.ccls. and (automatic$4 near3 (replicat$4 or mirror$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:56
S12 5	115	455/44$.ccls. and (replicat$4 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 10:56
S12 6	61	(455/44$.ccls. and (replicat$4 or mirror$3)) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:06
S12 7	2	"6490451".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:06
S12 8	1	"6490451".pn. and (internet or www or web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:09
S12 9	480	709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:09
S13 0	55	709/239.ccls. and (adjacent adj (router$1 or node$1 or terminal$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:09
S13 1	2	(709/239.ccls. and (adjacent adj (router$1 or node$1 or terminal$1))) and (mirror$3 or replicat$4) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:13
S13 2	17	"6047331".URPN.	USPAT	OR	OFF	2004/06/22 11:10
S13 3	35	"6055561".URPN.	USPAT	OR	OFF	2004/06/22 11:11
S13 4	5	("6047331".URPN. or "6055561". URPN.) and (mirror$3 or replicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:12

S13 5	3285	"370"/$.ccls. and (mirror$3 or replicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:12
S13 6	6207	709/23$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:13
S13 7	70873	"370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:13
S13 8	1385	"370"/$.ccls. and 709/23$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:13
S13 9	57	("370"/$.ccls. and 709/23$.ccls.) and (replicat4 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:13
S14 0	44	(("370"/$.ccls. and 709/23$.ccls.) and (replicat4 or mirror$3)) and (mirror$3 or replicat$4) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:15
S14 1	77247	"455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:14
S14 2	6248	"455"/$.ccls. and "370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:15
S14 3	0	("455"/$.ccls. and "370"/$.ccls.) and exterior and adjacent and replicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:15
S14 4	68	("455"/$.ccls. and "370"/$.ccls.) and adjacent and replicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:15

S14 5	60	(("455"/$.ccls. and "370"/$.ccls.) and adjacent and replicat$4) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:21
S14 6	82	vaughn.xa. and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:17
S14 7	1	(vaughn.xa. and "709"/$.ccls.) and (rout$3 adj (database$1 or table$1 or list$1)) and replicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:17
S14 8	1	(vaughn.xa. and "709"/$.ccls.) and (rout$3 adj (database$1 or table$1 or list$1)) and (mirror$3 or replicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:19
S14 9	22	("5450313" | "5475842" | "5535195" | "5581753" | "5606669" | "5608649" | "5742510" | "5771355" | "5774668" | "5781901" | "5805824" | "5835087" | "5854899" | "5864854" | "5903723" | "5920697" | "5924116" | "6011782" | "6052718" | "6061332" | "6070191" | "6097882").PN.	USPAT	OR	OFF	2004/06/22 11:18
S15 0	0	((vaughn.xa. and "709"/$.ccls.) and (rout$3 adj (database$1 or table$1 or list$1)) and (mirror$3 or replicat$4)) and adjacent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:19
S15 1	4	(vaughn.xa. and "709"/$.ccls.) and adjacent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:20
S15 2	1259	(adjacent adj (router$1 or node$1 or terminal$1)) and ("370"/$.ccls. or 709/23$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:20
S15 3	69	(adjacent adj (router$1 or node$1 or terminal$1)) and ("370"/$.ccls. and 709/23$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:20

S154	56	((adjacent adj (router$1 or node$1 or terminal$1)) and ("370"/$.ccls. and 709/23$.ccls.)) and @ad<"20000220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:22
S155	12	rerout$3 and (((adjacent adj (router$1 or node$1 or terminal$1)) and ("370"/$.ccls. and 709/23$.ccls.)) and @ad<"20000220")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:55
S156	1582	service adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:55
S157	235	(service adj database) and "707"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:55
S158	0	((service adj database) and "707"/$. ccls.) and 709/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:55
S159	38	((service adj database) and "707"/$. ccls.) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:56
S160	1	ssd and (service adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:58
S161	42246	request$3 near4 service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/22 11:58
S162	28	(("5,355,371") or ("5,541,927") or ("5,903,559") or ("6,147,992") or ("6,331,983") or ("6,529,498") or ("6,560,236") or ("6,611,872") or ("6,614,762") or ("6,683,865") or ("6,693,907") or ("6,728,205") or ("6,785,704") or ("6,788,681")).PN. or (US2001/004361).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:44

S163	54	((``4,939,726") or (``5,088,032") or (``5,425,021") or (``5,594,942") or (``5,796,727") or (``5,893,116") or (``5,953,400") or (``6,006,090") or (``6,041,358") or (``6,112,249") or (``6,128,648") or (``6,167,438") or (``6,189,043") or (``6,205,481") or (``6,219,694") or (``6,260,070") or (``6,370,119") or (``6,389,423") or (``6,490,451") or (``6,535,493") or (``6,542,758") or (``6,553,020") or (``6,560,654") or (``6,587,457") or (``6,594,235") or (``6,622,157") or (``6,628,943")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:41
S164	0	(S162 or S163) and (non adj adjacent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:41
S165	96	delay adj metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:45
S166	0	S165 and S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:45
S167	37	S165 and "370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:47
S168	9740	non adj adjacent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:47
S169	1	S168 and S165	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:50
S170	18	"5870564"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:50

S171	4	(("5870564") or ("5655134")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:51
S172	96219	determin$4 near5 (path$1 or link$1 or route$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:51
S173	3089	709/238-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:57
S174	3608	(distance adj vector$1) or (link adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:58
S175	8	coordinate$1 and (S162 OR S163)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 19:59
S176	10	S174 AND (S162 OR S163)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:04
S177	80629	"370"/$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:04
S178	310	S177 AND S168	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:04
S179	30	S168 AND S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:05
S180	28	S172 AND S179	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:43

S18 1	5	S180 AND @RLAD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:30
S18 2	2	"6717921".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 21:00
S18 3	42	(("5,161,186") or ("5,179,548") or ("5, 181,017") or ("5,367,642") or ("5,410, 586") or ("5,452,294") or ("5,546, 596") or ("5,659,686") or ("5,781, 546") or ("5,802,313") or ("5,812, 549") or ("5,859,981") or ("5,859, 983") or ("6,038,044") or ("6,138, 166") or ("6,138,167") or ("6,404, 735") or ("6,442,147") or ("6,574, 227") or ("6,579,018") or ("6,667, 956") or ("6,741,572")).PN. or (2002/0131363).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:18
S18 4	28	(("5,355,371") or ("5,541,927") or ("5, 903,559") or ("6,147,992") or ("6,331, 983") or ("6,529,498") or ("6,560, 236") or ("6,611,872") or ("6,614, 762") or ("6,683,865") or ("6,693, 907") or ("6,728,205") or ("6,785, 704") or ("6,788,681")).PN. or (2001/0043611).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:18
S18 5	55	(S183 or S184) and (label$1 or identifier$1 or value$1 or number$1 or id$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:33
S18 6	2	S185 and mirror$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:34
S18 7	52	S185 and (path$1 or route$1 or channel$1 or connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:34
S18 8	52	S185 and (path$5 or route$1 or channel$1 or connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:35

S18 9	51	S185 and (path$5 or route or routes or channel$1 or connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:35
S19 0	10378	non adj adjacent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:35
S19 1	23	S190 and S189	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:37
S19 2	2	S191 and (replicat$5 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:38
S19 3	3	S191 and (wireless or mobile or cellular or pda or palm or handheld or (hand adj held))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:38
S19 4	42	(("5,161,186") or ("5,179,548") or ("5,181,017") or ("5,367,642") or ("5,410,586") or ("5,452,294") or ("5,546,596") or ("5,659,686") or ("5,781,546") or ("5,802,313") or ("5,812,549") or ("5,859,981") or ("5,859,983") or ("6,038,044") or ("6,138,166") or ("6,138,167") or ("6,404,735") or ("6,442,147") or ("6,574,227") or ("6,579,018") or ("6,667,956") or ("6,741,572")).PN. or (2002/0131363).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:18
S19 5	28	(("5,355,371") or ("5,541,927") or ("5,903,559") or ("6,147,992") or ("6,331,983") or ("6,529,498") or ("6,560,236") or ("6,611,872") or ("6,614,762") or ("6,683,865") or ("6,693,907") or ("6,728,205") or ("6,785,704") or ("6,788,681")).PN. or (2001/0043611).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:19
S19 6	1003	link adj state with rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:19

S197	7	S196 and (S194 or S195)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:21
S198	172	rerout$3 and S196	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:21
S199	9	rerout$3 and (S194 or S195)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:26
S200	1	(S194 or S195) and (replicat$4 or mirror$3) and S196	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:28
S201	3	osp and S196	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:27
S202	85923	"370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:28
S203	64	S202 and osp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:28
S204	14	S203 and (replicat$4 or mirror$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:29
S205	3370	709/238-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:29
S206	162	S205 and S196	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:29

S207	0	S206 and replilcat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:29
S208	25	S206 and replicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:31
S209	3	S208 AND @RLAD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:31
S210	5	S208 AND @AD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 18:42
S211	8	S206 and mirror$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:31
S212	2	S211 AND @AD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:33
S213	80	S205 and mirror$3 and replicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:33
S214	33	S213 AND @AD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:54
S215	12	link adj label$1 and (possible adj path$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:37
S216	12	(link adj label$1) and (possible adj path$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:47

S21 7	5	allocat$4 near5 (link adj label$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:48
S21 8	9	assign$3 near5 (link adj label$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:52
S21 9	8	(("6603742") or ("6631421") or ("6584073") or ("6567856")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:53
S22 0	2	("5088323").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:54
S22 1	2	("5088032").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:54
S22 2	194	("5088032").URPN.	USPAT	OR	OFF	2005/11/15 17:54
S22 3	163	S222 AND @AD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:57
S22 4	16	S223 and replicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:55
S22 5	15	S223 and label$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:56
S22 6	10378	non adj adjacent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:56
S22 7	1	S226 and S222	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:57

S22 8	20	S196 and S226	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:57
S22 9	5	S228 AND @AD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:58
S23 0	24	S226 and (S194 or S195)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:58
S23 1	24	S230 AND @AD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 17:58
S23 2	42	(("5,161,186") or ("5,179,548") or ("5, 181,017") or ("5,367,642") or ("5,410, 586") or ("5,452,294") or ("5,546, 596") or ("5,659,686") or ("5,781, 546") or ("5,802,313") or ("5,812, 549") or ("5,859,981") or ("5,859, 983") or ("6,038,044") or ("6,138, 166") or ("6,138,167") or ("6,404, 735") or ("6,442,147") or ("6,574, 227") or ("6,579,018") or ("6,667, 956") or ("6,741,572")).PN. or (2002/0131363).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:12
S23 3	28	(("5,355,371") or ("5,541,927") or ("5, 903,559") or ("6,147,992") or ("6,331, 983") or ("6,529,498") or ("6,560, 236") or ("6,611,872") or ("6,614, 762") or ("6,683,865") or ("6,693, 907") or ("6,728,205") or ("6,785, 704") or ("6,788,681")).PN. or (2001/0043611).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:12
S23 4	10406	non adj adjacent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:12
S23 5	24	S234 and (S232 or S233)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:12

S236	24	S235 AND @AD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:12
S237	194	("5088032").URPN.	USPAT	OR	OFF	2005/11/22 13:13
S238	163	S237 AND @AD<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:13
S239	15	S238 and label$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:13
S240	16	S238 and replicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:13
S241	9	assign$3 near5 (link adj label$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:13
S242	3379	709/238-242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:13
S243	80	S242 and mirror$3 and replicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:13
S244	5	allocat$4 near5 (link adj label$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:14
S245	103110	determin$4 near5 (path$1 or link$1 or route$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:14
S246	13968	adjacent adj (router$1 or node$1 or terminal$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:14

S247	1642	(adjacent adj (router$1 or node$1 or terminal$1)) and ("370"/$.ccls. or 709/23$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:15
S248	3950	(distance adj vector$1) or (link adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:15
S249	42	(("5,161,186") or ("5,179,548") or ("5,181,017") or ("5,367,642") or ("5,410,586") or ("5,452,294") or ("5,546,596") or ("5,659,686") or ("5,781,546") or ("5,802,313") or ("5,812,549") or ("5,859,981") or ("5,859,983") or ("6,038,044") or ("6,138,166") or ("6,138,167") or ("6,404,735") or ("6,442,147") or ("6,574,227") or ("6,579,018") or ("6,667,956") or ("6,741,572")).PN. or (2002/0131363).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:10
S250	28	(("5,355,371") or ("5,541,927") or ("5,903,559") or ("6,147,992") or ("6,331,983") or ("6,529,498") or ("6,560,236") or ("6,611,872") or ("6,614,762") or ("6,683,865") or ("6,693,907") or ("6,728,205") or ("6,785,704") or ("6,788,681")).PN. or (2001/0043611).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:10
S251	24	S234 and (S250 or S249)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:19
S252	13	S251 and (coordinate$1 or identifier$1 or label$1 or id$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:32
S253	38133	cach$3 and load$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:19
S254	5	S253 and (S250 or S249)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:34

S25 5	3727	(REPAIR ADJ NUMBER) OR (TROUBLE ADJ TICKET) OR (WORK ADJ ORDER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:35
S25 6	74152	TELEPHONE ADJ NUMBER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:36
S25 7	388	S255 AND S256	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:35
S25 8	52540	S256 AND @AD<"20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:37
S25 9	227	S257 AND @AD<"20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:36
S26 0	3613	(TELEPHONE ADJ NUMBER) SAME(REPAIR ADJ NUMBER) OR (TROUBLE ADJ TICKET) OR (WORK ADJ ORDER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:37
S26 1	66	(TELEPHONE ADJ NUMBER) SAME((REPAIR ADJ NUMBER) OR (TROUBLE ADJ TICKET) OR (WORK ADJ ORDER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 13:37
S26 2	37	S261 AND @AD<"20010904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:23
S26 3	3694	(REDIRECT$4 OR REROUT$3) NEAR4 REQUEST$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:01
S26 4	2	S263 AND (S250 OR S249)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:24

S265	1	S264 AND CACH$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:14
S266	1	S264 AND CACH$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:39
S267	1	S266 and (cellular or mobile or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:40
S268	1	S267 and (fail$5 or fault$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:44
S269	1	S268 and (replicat$$ or mirror$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:44
S270	1	S268 and (replicat$4 or mirror$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:44
S271	13	S252 and (channel$1 or path$1 or link$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:33
S272	10	S271 and table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:58
S273	1	JAVA ADJ EQUATION	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:59
S274	83	JAVA ADJ FUNCTION	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:59

S27 5	1	JAVA ADJ EQUATION$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 17:00
S27 6	110	"4648044".UREF.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 17:08
S27 7	1	S276 AND CLIENT AND SERVER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 17:08
S27 8	33	("4595982" | "4648044" | "4658370" | "4803641" | "4829426" | "4884218" | "4930071" | "4931951" | "4965741" | "5197116" | "5228116" | "5325466" | "5338188" | "5347614" | "5414798" | "5418889" | "5446885" | "5504840" | "5717832" | "5748943" | "5768510" | "5799293" | "5812668" | "5815657" | "5848246" | "5850446" | "5924116" | "5928323" | "5931917" | "5963924" | "5987443" | "6014134" | "6356937"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/22 17:36
S27 9	11	"6580721"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/22 17:38
S28 0	2	S234 AND S279	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/22 18:42